



Finding the Equine Path

Course reference materials for achieving the rank of
Certified Equine Photopuncture Therapist (CEPT)

Author: Kay Aubrey-Chimene, RMT, CLTI, CPTI

Principal Photopuncture Points - Quick Reference Guide

Element	METAL		EARTH		FIRE (flames)		WATER		FIRE (coals)		WOOD		EX VESSELS	
Meridian	LU	LI	ST	SP	HT	SI	BL	KI	PC	TH	GB	LV	GV	CV
# of Points	11	20	45	21	9	19	67	27	9	23	44	14	28	24
Yin/Yang	Yin	Yang	Yang	Yin	Yin	Yang	Yang	Yin	Yin	Yang	Yang	Yin	Yang	Yin
Affects	Skin/Hair		Muscles/Tissue		Vascular		Bone/Marrow		Vascular/Lymph		Sinews		Nervous System	
Opens To	Nose		Mouth		Tongue		Genitals		Tongue		Eyes		Anus	
Time of Influence	3-5A	5-7A	7-9A	9-11A	11A-1P	1-3P	3-5P	5-7P	7-9P	9-11P	11P-1A	1-3A		
Emotion	Grief		Worry		Joy/Depression		Fear		Contentment		Anger			
Connecting	9	4	40	4	5	7	58	4	6	5	37	5	1	15
Source	6	7	42	3	7	4	64	3	7	4	40	3		
Association	BL 13	BL 25	BL 21	BL 20	BL 15	BL 27	BL 28	BL 23	BL 14	BL 22	BL 19	BL 18	BL 16	-----
SuperCharger	7	6	34	8	6	6	63	5	4	7	36	6		

Master Points

6 points that control an AREA of the body


LU 7 Head & Neck	LI 4 Face & Mouth	ST 36 Upper Abdomen Energy
SP 6 Lower Abdomen Uriogenital	BL 40 Lower Back	PC 6 Heart, Chest Upper Back

Influential Points




8 points that influence a body FUNCTION

LU 9 Blood Vessels, Circulation	BL 17 Blood	GB 39 Brain, Bone Marrow Spinal Cord	CV 12 Hollow Organs
BL 11 Bone	GB 34 Muscles, Tendons Pain	LV 13 Solid Organs	CV 17 Energy Respiration

Equine Principal Photopuncture Points




Equine Principal Photopuncture Points




Equine Master Points

6 Points which control an Area of the Body




Equine Influential Points

8 Points which Influence a Specific Body Function or System




Equine Connecting Points

Used to Balance the Energy Flow between Elemental Sister Meridians




Equine Association Points

Used to Access and Move Energy along the Associated Meridian and Organ



Equine Source Points


Used to Sedate or Tonify the Meridian




Equine Ting Points

The point between elemental sisters where energy switches type at the hoof (Yang/Yin).

Front Hooves



Hind Hooves



Cranial - Left Fore



Lateral - Fore



Caudal - Fore



Medial - Fore




Cranial - Hind



Lateral - Hind



Caudal - Hind




Medial - Hind




Equine Accumulation - SuperCharger Points


One point on each meridian used to relieve acute pain and staunch bleeding along that channel.




Principal Equine Photopuncture Points - METAL




Principal Equine Photopuncture Points - EARTH




Principal Equine Photopuncture Points - FIRE (flames)



Principal Equine Photopuncture Points - FIRE (coals)




Principal Equine Photopuncture Points - WOOD





Cranial - Hind

Principal Equine Photopuncture Points - EX. VESSELS



Principal Equine Photopuncture Points - EX. VESSELS



Principal Equine Photopuncture Points List

Lung	Indications	Location
LU 1	Respiratory disorders, allergies. Useful for all LU Issues, especially of Excess Type - cough, wheezing, asthma. Relieves fatigue and strengthens the lungs.	In a depression in the transverse pectoral muscle, at the ventral end of the median pectoral sulcus.
LU 6	SuperCharger Point - bleeding and pain along the Lung Meridian.	7 cun proximal to LU 9, near the cephalic vein, between the extensor carpi radialis and the flexor carpi radialis.
LU 7	Master Point for Head & Neck - bronchitis, allergies, phlegm, cough, asthma. Circulation of Protective Chi, stimulates sweating, and enhances respiration.	Proximal to the medial styloid process of the radius, caudal to the extensor carpi radialis.
LU 9	Influential Point for Blood Vessels, Pulse, & Circulation - benefits pain in the chest, asthma, cough, shoulder and back pain, metacarpal arthritis, and laminitis.	Cranial to accessory carpal bone, at the junction of the 1st row of carpal bones and the radius.
LU 11	Ting Point - Used to aid laminitis and nose bleeds	0.5 cun proximal to the coronary band, just cranial to the medial collateral cartilage.

Large Intestine	Indications	Location
LI 1	Ting Point - Benefits arthritis, ringbone, navicular, all hoof problems. Emergency point.	0.5 cun proximal to the craniomedial aspect of the coronary band of the forelimb.
LI 4	Master Point - Face and Mouth. Any facial issues, allergies, dental issues, headache, sweating, chronic pain. Enhances Chi while also supporting the immune system. Relieves neck, shoulder, and foreleg pain. Expedites labor, clears the nose, brightens the eyes. Regulates and moistens the Large Intestine, softens hard masses and relaxes the sinews. DO NOT USE DURING PREGNANCY	Distal and caudal to the head of the 2nd metacarpal bone.

LI 6	Connecting Point for METAL. Acute inflammation of the eye. Soreness and pain in the forelimb.	In the muscle groove on the lateral aspect of the foreleg, ¼ distance above the fetlock (wrist) to the knee (carpus).
LI 7	SuperCharger Point - bleeding and pain along the Large Intestine Meridian. Forelimb pain, arthritis and pain of the shoulder, scapular region, elbow and carpal joint.	In the muscle groove on the lateral aspect of the foreleg, ½ distance above the fetlock (wrist) to the knee (carpus).
LI 11	Benefits the respiratory system and strengthen the immune system. Fever, hives, skin disease, acne, diarrhea, elbow pain. Abdominal pain, vomiting, diarrhea, constipation. Dry coat, itchy skin, allergies.	Lateral edge of the elbow crease when the foreleg is flexed.
LI 15	Shoulder release point. Forelimb pain and arthritis. Activate simultaneously with TH 14 to release shoulder joint. Inflammation of the brachiocephalic muscle.	At the cranial aspect of the shoulder joint proximal to the greater tubercle of the humerus.
LI 20	Loss of smell, crooked mouth, nosebleed, sinus headache, trigeminal neuralgia	At the lateral side of the nostril. Caudal to the nares.

Stomach	Indications	Location
ST 1	Any eye issue: excessive tearing, redness, dryness, painful or itchy eyes, twitching of the eyelids. Moon blindness. Digestive issues including nausea or lack of appetite.	Below the pupil of the eye, along the bone of the eye socket.
ST 10	Sore throat, shortness of breath, stiff or painful neck rotation, enervation of the vagus nerve	Anterior border of the sternocleidomastoid muscle. At the lower point of the larynx.
ST 25	Abdominal pain, constipation/diarrhea, menstruation issues, edema, colitis, pancreatitis. DO NOT USE DURING PREGNANCY	2 cun lateral to the navel.
ST 34	SuperCharger Point - bleeding and pain along the Stomach Meridian.	With the knee flexed, 2 cun above the lateral superior border of the patella.
ST 36	Master Point - Upper Abdomen and General Energy. Also known as the " Probiotic Point ". Regulates all digestive function including appetite & absorption of nutrients. Stimulate gut sounds and triggers peristalsis. Regulates and strengthens lung and intestine	1 cun lateral to the distal border of the tibial crest, on the cranial border of the tibia.

	function. Strengthens immune system. Stifle, hock and hindlimb pain or weakness. Lowers stress. DO NOT USE DURING PREGNANCY	
ST 40	Connecting point for EARTH. Reduces phlegm. Cough, constipation, swelling and locomotion issues in the hind limbs.	4 fingers below the center of the kneecap, 1 finger to the outside of the shinbone.
ST 42	Source Point. Hock pain, abdominal disorders.	On the craniolateral aspect of the rear cannon bone just below the hock.
ST 45	Laminitis, ringbone, side-bone, stifle issues. Digestive disorders including colic. Problems along the stomach meridian.	On the cranial midline of the hind coronary band.

Spleen	Indications	Location
SP 1	EMERGENCY POINT - Stop bleeding fast! Bleeding issues, hemorrhage, blood in the urine or stools	0.5 cun proximal to the coronary band of the hind limb cranial to the medial collateral cartilage.
SP 3	Source Point –Tonifies the Spleen. Also strengthens the spine, benefits ringbone, or hock arthritis.	At the top (cranial to) the medial sesamoid bone.
SP 4	Connecting Point for EARTH. Benefits the transformation and transportation of food. Tendonitis, arthritis of the hock and fetlock.	In a depression at the top of the medial splint groove.
SP 6	Master Point - Lower Abdomen and Urogenital System. Intersection of Spleen, Liver and Kidney meridians. Tonify Yin and Blood. Digestive disorders. Gynecological and hormonal imbalances. Obstetric, gastrointestinal, and urinary issues. Bleeding disorders. Support Immune function.	3 cun directly above the medial malleolus, directly caudal to the tibial border on the medial aspect of the leg.
SP 8	SuperCharger Point - bleeding and pain along the Spleen Meridian. Pain in the pelvis and stifle. Diarrhea. Regulating estrous cycle irregularity.	3 cun below the stifle joint, directly caudal to the tibial border on the medial aspect of the leg.
SP 13	Hip Balance Point. Pain in the lower back, hip, loin, and stifle. Gelding Point – release sinews spasming after gelding.	Directly cranial to the lower border of the tuber coxae.

SP 21	Flaccid joints and ligaments. Chronic cough, heaves, shortness of breath. Laminitis, back pain, general weakness. Liver disorders.	In the 10 th intercostal space at the level of the shoulder joint.
--------------	--	---

Heart	Indications	Location
HT 1	Cardiac, thoracic or chest pain, shortness of breath, anxiety. Frozen shoulder.	In the muscle groove at the center of the inside of the top of the foreleg next to the chest.
HT 5	Connecting Point for FIRE (flames). Forelimb pain. Anxiety, restlessness, sleep disorders.	On the caudolateral border of the forelimb, $\frac{3}{4}$ of the distance below the elbow to the carpus. In the groove between the muscle and the tendon.
HT 6	SuperCharger Point - bleeding and pain along the Heart Meridian. Forelimb pain.	On the caudolateral border of the forelimb, $\frac{7}{8}$ of the distance below the elbow to the carpus.
HT 7	Calming & Aspirin Point. Emotional issues, especially affecting sleep. Anxiety with palpitations. Panic. Pounding heart, angina. Used with PC 7 for lowering pulse, forelimb & upper body pain.	On the caudal lateral point at the back of the knee, in the divot where the bone and the tendon meet.
HT 9	Ting Point - Use to relieve fever. For cardiovascular emergencies. Inflammation of the heel, laminitis, navicular.	0.5 cun proximal to the caudolateral aspect of the coronary band of the forelimb.

Small Intestine Point #	Indications	Location
SI 1	Ting Point - Any breast disorders; poor lactation, mastitis, cysts. Earache, tinnitus, sore throat. Headache, loss of consciousness, dizziness. Any pain or weakness from little finger up through channel.	0.5 cun proximal to the cranial aspect of the coronary band of the forelimb.
SI 4	Source Point. Arthritis of the carpus (knee) and fetlock (ankle) joints. Tendonitis, bucked shins, acute splint pain.	Lateral side of the forelimb, in a divot just below the back of carpus (knee).

SI 6	SuperCharger Point - bleeding and pain along the Small Intestine Meridian. Pain in the carpus, shoulder and back.	In the depression just above the carpus (knee) on the center of the lateral aspect of the foreleg.
SI 7	Connecting Point for FIRE (flames)	½ the distance from the carpus (knee) to the elbow on the lateral aspect of the foreleg. Directly behind the radius.
SI 9	Shoulder and Forearm Release Point. Triceps trigger point, shoulder pain reflex point. Arthritis of the forelimb. s	In the divot formed by the overlapping of the muscles of the shoulder. Bisect the shoulder vertically and horizontally.
SI 19	Any ear problems, TMJ, toothache. Calms the spirit. Meeting of the SI, TH, & GB meridians.	Above the TMJ in the indentation at the inner corner of the ear.

Bladder	Indications	Location
BL 1	Calming point, optic nerve activation for parasympathetic shift. All eye issues. Sinus infection, headache, and congestion. Conjunctivitis.	In the indentation at the medial canthus (inside corner) of the eye.
BL 10	Pain and stiffness of the neck and upper back. Wobbler's Syndrome.	Just behind the ear in a depression behind the wing of the 1 st cervical vertebrae (atlas).
BL 11	Influential Point - Bones. Infections of the superior respiratory tract. Lung and chest congestion, flu, asthma. Thoracic rib pain. Neck and shoulder pain and stiffness. Osteoporosis, arthritis, bone diseases.	In a depression 1.5 cun lateral to the midline, between T1 and T2, just in front of the withers.
BL 13	Association Point for Lung	1 cun lateral to the midline, just caudal to the scapula, in the eighth intercostal space.
BL 14	Association Point for Pericardium	3 cun lateral to the midline, in the ninth intercostal space.
BL 15	Association Point for Heart	3 cun lateral to the midline, in the tenth intercostal space.

BL 16	Association Point for Governing Vessel	3 cun lateral to the midline, in the eleventh intercostal space.
BL 17	Influential Point - Blood. Blood imbalances and disorders such as anemia, coughing blood, blood in the stool, menstrual disorders. Supports healthy breathing when experiencing shortness of breath or hiccups. Vomiting, gastric pain, reflux.	3 cun lateral to the midline, in the twelfth intercostal space.
BL 18	Association Point for Liver	3 cun lateral to the midline, in the thirteenth and fourteenth intercostal space.
BL 19	Association Point for Gallbladder	3 cun lateral to the midline, in the fifteenth intercostal space.
BL 20	Association Point for Spleen	3 cun lateral to the midline, in the seventeenth intercostal space.
BL 21	Association Point for Stomach	3 cun lateral to the midline, just caudal to the last rib.
BL 22	Association Point for Triple Heater	3 cun lateral to the midline, between L1 and L2
BL 23	Association Point for Kidney	3 cun lateral to the midline, between L2 and L3
BL 25	Association Point for Large Intestine	3 cun lateral to the midline, between L5 and L6
BL 27	Association Point for Small Intestine	3 cun lateral to the midline, between S1 and S2
BL 28	Association Point for Bladder	3 cun lateral to the midline, between S2 and S3
BL 40	Master Point - Lower Back & Legs. Strengthen and tonify the lower back. Back pain. Release and relax tendons. Knee issues. Benefits the topline.	Behind the stifle at the midpoint of the joint on the back of the hindlimb.

BL 58	Connecting point for WATER. Hock and back pain. Swelling (edema) of the lower limb.	7 cun above BL 60 in the divot on the back of the fibula.
BL 60	Aspirin Point – used in conjunction with KI 3. Pain and weakness of the lower back, legs, ankles and feet, plantar fasciitis. Neck pain. DO NOT USE WHEN PREGNANT.	On the lateral side of the depression just above and in front of the point of the hock.
BL 63	SuperCharger Point - bleeding and pain along the Bladder Meridian	In the divot directly below the lower border of the hock joint.
BL 64	Source Point. Swelling and pain in the hock and fetlock joints. Flexor tendinitis.	Behind and below the head of the rear cannon bone.
BL 67	Ting Point. Hoof problems. Bladder disorders. Breech deliveries and retained placenta. Turn the foal and ease/speed labor. DO NOT OTHERWISE USE WHEN PREGNANT.	0.5 cun proximal to the coronary band, on the caudolateral aspect of the hoof.

Kidney	Indications	Location
KI 1	Ting Point. EMERGENCY POINT: Electrical system reset – seizures, palpitations, mania, rage. Contracted heels.	In the depression between the heel bulbs of the hind hoof.
KI 3	"Aspirin Point" – used in conjunction with BL 60. Pain and weakness of the lower back, legs, ankles and feet, plantar fasciitis. Kidney / urination issues. Arthritis, especially of the hock and hindlimb. Regulate estrous cycles.	On the medial side of the depression just above and in front of the point of the hock.
KI 4	Connecting Point for WATER. Breathing difficulties, regulates fecal and urine elimination. Pain in the lumbosacral region.	.5 cun behind and below KI 3, on the inner aspect hock.
KI 5	SuperCharger Point - bleeding and pain along the Kidney Meridian. Kidney disorders. Hock disorders. Hindlimb edema. Regulate estrous cycles.	Below the distal end of the tibia, 1 cun below KI-3.
KI 27	Association Point of ALL Association Points. Core Energy Support. Tight, constricted chest or lungs. Neck or jaw issues. Physical or mental fatigue. Brain fog. Weakened immune system.	Between the sternum and the first rib, 2 cun lateral to the midline.

Pericardium	Indications	Location
PC 1	Energetic activation point used when assessing sensitivity in association points. Pain in the chest and ribcage. Forelimb hoof issues: navicular, abscess, laminitis. Opens the chest and lungs.	In the 6th intercostal space, just behind the point of the ulna (elbow).
PC 4	SuperCharger Point - bleeding and pain along the Pericardium Meridian. Calms heart and opens the chest. Good for emotional upsets and grief.	On the medial side of the foreleg, 5 cun above PC 7 in the groove between the tendons. On the center of the radius bone.
PC 6	Master Point - Heart, Chest, and Upper Back. Connecting Point for FIRE (coals). Regulates the heart & Stomach. Tight or painful chest. Asthma, angina, palpitations, anxiety. Hiccups – relaxes the diaphragm. Nausea, vomiting, gastric pain. Carpal tunnel syndrome. Also known as the " Stress Point ".	Directly above the chestnut on the medial side of the foreleg.
PC 7	Aspirin Point – used with HT 7. Reduce overall pain in upper body. Carpal tunnel syndrome. Hot flashes.	On the caudal medial point at the back of the knee, in the divot where the bone and the tendon meet.
PC 9	Ting Point. Clearing heat in the heart. Restoring consciousness. Contracted heels and other hoof imbalances. Arthritis of the fetlock and carpus joints. Tendinitis, navicular.	In the central depression between the heel bulbs on the fore hoof.

Triple Heater	Benefits laminitis and ringbone. Colic point.	Location
TH 1	Ting Point. Benefits laminitis, side-bone, navicular, and ringbone. Colic point. Reduces fever.	Just lateral to the midline of the front hoof, over the coffin joint.
TH 4	Source Point. Benefits swelling, arthritis and sprain of the carpal joint and edema of the front leg, relieves shoulder and foreleg pain.	In the depression between the intermediate and 3rd carpal bones on the dorsal surface of the knee.

TH 5	Connecting Point for FIRE (coals) - "Lymph Point" . Disperses Heat - opens Lymph Drainage. Opens the intestines – constipation. Pain in the neck, elbow, and shoulder. Navicular disease. Contracted tendons. Edema anywhere in the body.	2 cun above the carpus in the groove just behind the radius.
TH 7	SuperCharger Point - bleeding and pain along the Triple Heater Meridian	2 cun below the point of the ulna (elbow) in the groove behind the radius.
TH 14	Shoulder release point . Forelimb pain and arthritis. Activate simultaneously with LI 15 to release shoulder joint. Recovery after exertion. Release of the sternobrachiocephalicus and biceps muscles.	Just behind and below the shoulder joint in a divot in the head of the humerus.
TH 23	Conjunctivitis, moon blindness, eye pain, and issues. TMJ issues, cribbing.	Near the back corner of the eye, just below the front corner of the zygomatic arch.

Gallbladder	Indications	Location
GB 1	Emotional Balance Point. Optic Nerve activation Point. All eye disorders, heat stroke, anhidrosis (failure to sweat).	In the depression lateral to the outer canthus of the eye.
GB 20	Neck and shoulder stiffness or pain. Wobbler's Syndrome. Lung infections.	In the depression between the neck muscles lateral to the base of the skull. Cranial to the wings of the atlas (C1).
GB 21	Hip/Shoulder Balance Point. Shoulder/neck pain or stiffness. Phlegm in the head, throat, or chest. Swollen lymph glands – mastitis. Lactation issues. DO NOT USE WHEN PREGNANT.	Halfway along the length of the cranial edge of the scapula, (shoulder line) at the level of the seventh cervical vertebrae.
GB 25	Toxicity Point. Extremely reactive when organs of elimination are overwhelmed. Stimulates detoxification of liver and gallbladder. Pain in the lumbar and abdominal regions, urogenital problems.	At the caudal border of the costochondral junction of the eighteenth rib.

GB 34	Master Point – Ligaments, Muscles & Tendons. Useful for soft tissue issues anywhere on the body. Sciatica and lower back pain. Knee or hock pain and weakness. Leg cramps / tying up. Muscular atrophy.	In the depression above and behind the head of the fibula on the lateral side of the leg.
GB 36	SuperCharger Point - bleeding and pain along the Gallbladder Meridian	7 cun above the hock, on the anterior border of the fibula.
GB 37	Connecting Point for WOOD	5 cun above the hock, on the anterior border of the fibula.
GB 39	Influential Point for Brain, Bone Marrow, and Spinal Cord	3 cun above the lateral malleolus, on the back of the tibia.
GB 40	Source Point. Benefits liver function and pain in the distal extremities. Relieves pain in the distal extremities, softens hard masses, strengthens the fetlock (ankle) joint.	Above and behind the tip of the lateral malleolus of the tibia.
GB 44	Ting Point. Issues with the sense organs (eyes, ears, nose, mouth, tongue) including pain, inflammation, and inability to retract tongue. Laminitis, abscess, hoof disorders. Hindlimb arthritis and joint issues.	Proximal to the craniolateral aspect of the coronary band on the hindlimb.

Liver	Indications	Location
LV 1	Regulate the liver. Swollen genitals. Menstrual flow imbalance. Anger, depression. Edema, colic and food stagnation, abdominal masses, and fatigues. Diarrhea and constipation.	Proximal to the craniomedial aspect of the coronary band of the hind limb.
LV 3	Source Point. "Detoxification Point". Calming point for anger and irritability. Used for all liver issues. Eye issues. High blood pressure. Menstrual imbalance and pain. Digestive issues stemming from liver/gallbladder function. Muscle tension. Chronic arthritis or pain in the hock and fetlock joints.	On the craniomedial aspect of the 3rd metatarsal bone, at the head of the medial splint bone.
LV 5	Connecting Point for WOOD. Irregular estrous cycles.	1.5 cun above the medial malleolus on the front of the tibia.

LV 6	SuperCharger Point - bleeding and pain along the Liver Meridian.	One half the distance along the front border of the tibia.
LV 13	Influential Point - Solid Organs. Pain and distention of the abdomen, gas colic, vomiting, constipation, diarrhea, bloating, undigested food in the bowels.	Distal end of the 18 th rib.
LV 14	Regulates the Liver and Gallbladder. Emotional imbalances - anger, depression, irritability. Pancreatitis and liver problems. Extreme muscle soreness.	In the 14 th intercostal space at the level of the ulna (elbow).

Governing Vessel	Indications	Location
Wei Jian	Emergency Point. Inability to stand, unconsciousness, heatstroke, spasms, seizures.	Tip of the last tail bone (coccygeal vertebrae).
GV 1	Rectal and anal issues: hemorrhoids, prolapse, fissure. Diarrhea/Constipation. Lower back pain. Genitourinary disorders. Epilepsy.	On the mid-line midway between the tip of the tailbone and the anus.
Bai Hui	Tonify the hindquarters and strengthen the topline. Enervate the spinal cord. Benefit the genitourinary system and intestinal tract. Especially powerful when activated along with GV 14.	In the lumbosacral space
GV 4	Clear heat from whole body. Strengthen kidneys. Incontinence and kidney disorders. Excess urination. Adrenal fatigue. Lack of sexual vitality.	Between the spinous processes of the 2nd and 3rd lumbar vertebrae, even with BL23.
GV 14	Colds and Flu. High Fevers. Cough, asthma. Anhidrosis and dehydration. Strengthens the topline. Thoracic back pain, neck, and upper back stiffness. Especially powerful when activated along with Bai Hui.	Between the 7th cervical and 1st thoracic vertebrae on the dorsal midline of the neck.

GV 20	Recharges the Brain. Poll imbalances that affect motor control. Revive consciousness. Benefits Yang. Rectal and uterine prolapse, convulsions, ear and eye problems, shock. Reversing tranquilization.	At the highest point of the poll, rostral to the occipital crest.
YIN TANG	Emotional Sedation Point. Headaches, allergies, sinuses, vertigo, heavy sensation in the head, anxiety, insomnia, stress, and eye disorders. Frenzy or frantic behavior.	3 rd eye. Midpoint of a line connecting the inside corners of the eyes.
GV 28	Sedation Point. Emotional issues such as mania or depression. Pain or swelling of the gums or lips. Nasal issues including polyps, congestion. Neck pain and stiffness. Mouth pain.	At the center point between the upper lip and gum above the teeth.

Conception Vessel	Indications	Location
CV 1	Regulates lower yin orifices (genitalia, urethra, anus) - good for all genitourinary issues, genital pain/itching, retention of urine. Irregular estrous.	On the midline, just below the anus.
CV 6	"Strength" Point - Use for all physical weakness to restore energy. Increases and regulates Chi. Gynecological disorders, chronic dysentery.	On the midline, 1.5 cun below the umbilicus. Just caudal to the 18 th rib.
CV 12	Influential Point - Hollow Organs. Restores balance to the Stomach & Spleen. Ulcers, acute and chronic gastric pain.	On the midline, midway between the umbilicus and the xiphoid process.
CV 17	Influential Point - Energy & Respiration. Calming and Sedation. Guides energy downward. Chronic lung issues. Breast and lactation issues. Chest/throat issues such as difficulty swallowing, thumps.	On the midline, at the level of the back of the ulna (elbow).
CV 24	Facial pain/paralysis. Dental pain. Speech issues. Dry mouth and thirsting disorders.	In the divot between the chin and the lips.